



# CHHATISGARH ENVIRONMENT CONSERVATION BOARD

## Form IV (See Rule 13)

### ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility (HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 19564890

Period : 1.1.2024 to 31.12.2024

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Vipin Malik
(ii) Name of HCF or CBMWTF:	V M TECHNO SOFT PVT LTD
(iii) Address for Correspondence:	G-3 Sector-1
(iv) Address of Facility:	Khasra 116/7(1 Acre land), Village: Punjipathra, Tehsil: Tamnar, District: Raigarh, Chhattisgarh
(v) Tel. No.:	9755094412
(vi) Fax. No.:	-
(vii) E-mail ID:	info@vmtspl.com
(viii) URL of Website:	<a href="https://www.vmtspl.com/">https://www.vmtspl.com/</a>
(ix) GPS coordinates of HCF of CBMWTF:	22.075736,83.350645
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 8132/BMW/HO/CECB/2024 Valid Upto: 03/12/2024
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 02/12/2025
2. Type of Health Care Facility	
HCF/CBMWTF Type:	CBMWTF
(i) Number healthcare facilities covered by CBMWTF:	0
(ii) No. of beds covered by CBMWTF:	0
(iii) Installed treatment and disposal capacity of CBMWTF:	0
(iv) Quantity of BMW treated or disposal by CBMWTF:	0
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 0 Red Category: 0 White Category: 0 Blue Category: 0 General Solid Waste: 0
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 1600 Capacity: 15 Provision of on-site storage: Separate storage for colour coded bags and also for plastic, glass etc.

(ii) Disposal Facility:	<b>Type of Treatment Equipment</b>	<b>Number of Units</b>	<b>Capacity(Kg/day)</b>	<b>Quantity Treated or Disposed(Kg/annum)</b>
	<i>Incinerators</i>	<i>1</i>	<i>2000</i>	<i>0</i>
	<i>Autoclaves</i>	<i>2</i>	<i>2000</i>	<i>0</i>
	<i>Shredder</i>	<i>2</i>	<i>2000</i>	<i>0</i>
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0			
(iv) No of vehicles used for collection and transportation of BMW:	0			
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<b>Type of waste</b>	<b>Quantity Generated</b>	<b>Where disposal</b>	
	<i>Ash</i>	<i>0</i>	<i>will sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.</i>	
	<i>ETP Sludge</i>	<i>0</i>	<i>will sent to authorized TSDF Site Pithampur Industrial Waste Management Private Limited.</i>	
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:				
5. Do you have BMW management committee:	<i>no</i>			
<b>6. Training Conducted on BMW Details</b>				
(i) Number of training conducted on BMW Management:	0			
(ii) Number of personnel trained:	0			
(iii) Number of personnel trained at the time of induction:	0			
(iv) Number of personnel not undergone any training so far:	0			
(v) Whether standard manual for training is available:	<i>no</i>			
(vi) Any other information:	<i>Nither collection nor disposal started that year</i>			
<b>7. Details of the accident occurred</b>				
(i) No. of accident occurred:	0			
(ii) Number of the persons affected:	0			
(iii) Remedial Action taken:	0			
(iv) Any Fatality occurred, details:	0			
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	<i>Noted,</i>			
Details of Continuous online emission monitoring systems installed:	<i>We installed online emission monitoring system, meeting all the standards, and connected to CPCB server Stack_1_Incinerator</i>			

<b>9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:</b>	<i>We have installed ETP, and plant has zero liquid discharge.</i>
<b>10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:</b>	<i>Noted,</i>
<b>11. Any other relevant information:</b>	<i>We installed online emission monitoring system, meeting all the standards, and connected to CPCB server Stack_1_Incinerator</i>

**Name and Signature of the Head of the Institution**

**Date :**21/06/2025

**Place :** RAIGARH